arXiv:astro-ph/0502256v2 3 May 2005

On the Realization of the Dynamics Relativity

ChiYi Chen[a,b*] and Kang Li[c†]
[a] *Shanghai Astronomical Observatory, Chinese Academy of Sciences, Shanghai 200030, PR China*
[b] *Graduate School of Chinese Academy of Sciences, Beijing 100039, PR China and*
[c] *Hangzhou Teachers College, Hangzhou 310036, PR China*

Based on the universal principle of the causality, the realization of the relativity of physics laws is discussed in this paper. First, we propose a kind of new relativity, that is the gravitational interaction survey actually may for the observation of any local region is relative. Moreover, the equivalence of such a relativity with the kinematic quantity further lead to the same mathematical form of gravity theory as Einstein's field equation. Secondly, inertial reference frames can be naturally established resorting to "the minimal-gravity-free observer", which is defined to apply the "law of inertia" locally. Therefore, dynamical equations would be form-invariant only to such inertial reference frames at different levels. After that, the correctness of the application of the dynamical law to any practical case has been guaranteed by use of the method of inertial reference frame.

PACS number(s): 98.80.-k, 95.10.-a

INTRODUCTION

No matter what dynamics law is, the principle of the causality is always its soul and usually carried out by the method of inertial reference frame. For example, in classical mechanism, the dynamics equation must be established on the inertial reference frame, so to provides a guarantee for the consistence of the casualty. In the same reason, the geometry equivalence of the gravity must also be established on the background of a inertial reference frame because this is just the requirement of the principle of the causality. However, this point is not clarified in Einstein's general relativity.

In addition, the dynamics law can satisfy the principle of causality once it was adjusted by making a comparison with the experiment. Therefore, The most important property in the definition of " inertial reference frame " would be given by the dynamics relativity. In this paper we aim at finding a kind of reference frames, which exist universally and in all of them the causalities are unified consistently, so has provided the guarantee for the same form of the dynamics law being applied in such a kind of reference frames, then in fact this kind of reference frames are qualified to be defined as the physical "inertial reference frame".

THE SYMMETRY OF THE RELATIVITY

In realistic experiences, the observation of a physical phenomenon is always localized and we must choose the different observers in different local areas. On the other hand, a most important property to a physical principle is its universality applicable. Therefore this has directly caused our physical law should be invariant for different observer, this is the so-called kinematic relativity. Therefore, as the actual carrier of any dynamical principle, the dynamical equations should keep the same mathematical form in any local area in the universe. In other words, the dynamical equations have been automatically required to be universal and its form do not depended on at least one kind of observers who stay in any local area of the universe.

In theoretically, to realize this point, a natural idea is that the executed force is also relative to observers and the equivalence on the relativity of both sides of the dynamical equations should be maintained, then it is possible for the form of the dynamical equations do not change with the changes of observers. In short, to keep the symmetry of relativity is a nature way which can keep the the mathematical form of the dynamical equations invariant. Without doubt, the force executed on any particle is absolute in nature, as well as the motion of any particle is absolute in nature. But in fact the observation is always local, and our description of the motion of particles must be dependent on the observers. So the kinematical quantities of particles are just relative, this is why dynamical equations have relativity. Along this way, to realize the relativity of the dynamical equations on different observers, the counting of the executed force on the particle must also be capable being treated as an equally relative quantity to some special kinds of observers. In fact, we have never actually been able to count the absolute force for even the most special particle in the universe.

THE SYMMETRY OF THE RELATIVITY AND THE GRAVITY THEORY

It naturally brings a problem, to what kind of observers, then the kinematical quantities and the observed force in a dynamical equation can be naturally respectively defined on the equivalent(observer) relativity? To transformation between relatively accelerated observers, we have previously pointed out that if the form-invariant dynamical equations are available to some special kinds of observers, then it would be required that the influence brought by the transformation between relatively accelerated observers must be equivalently erased from the whole dynamical equation by some kinds of interaction which are executed on both the particle and the observer. Therefore, the problem that we are faced with has now turned to finding the qualified interaction which is equivalent to the kinematics of the observer.

In the requirement of the equivalence of the relativity, if such a kind of interaction exists, then it must possess the following two properties:

1, The relativity induced by a relative acceleration of the observer is determined by the state of the observer, and is irrespective to the selection of the particle in the local region. That is to say, the kinematical effect induced by this kind of interaction is irrespective to the special properties of the particle. Hence it must be a kind of universal interaction at least on the local region.

2, The selection of the observer is irrespective to the distance between the observer and the particle. Hence the kinematical effect induced by this kind of interaction must be capable being counteracted in the dynamical equation by the relative acceleration for observers' change on the large scale of the universe. Therefore, it must further be a kind of long-range interaction in the universe.

By far, four kinds of interactions discovered in the physical world are concerned, only the gravitational interaction is qualified as the candidate. Furthermore, considering that the inertial mass always exactly equals to the gravitational mass, we are not able to distinguish between what part of the motion of the particle is native, and what part of the motion of the particle is induced by the gravitational interaction from the distant place of the universe. On one hand, this is just the direct reason for our investigations on particle dynamics, in reality, are always localized. On the another hand, it indicates that the gravitational interaction on the cosmological scale has actually been throughly geometrized into the global acceleration of the subsystems in the universe. For these reasons, the equivalence on the respective relativity of the kinematical quantities and the observed (or counted) gravity must further lead to the geometrization description of the gravity. In other words, as long as the equivalence between the gravitational mass and the inertial mass is presented, the geometry description must be available for the gravitational interaction. Further considering the mass-energy relation in Special Relativity and the deflection of light in gravity field, then it has been enough for us to recover the mathematical form of Einstein's gravity theory[2, 3]:

$$G_{\mu\nu} = -\kappa < T_{\mu\nu} >_{grav} . \tag{1}$$

Viewed from the opposite direction, the great success of the geometrized theory of gravity has given eloquent proof of such an equivalency between the dynamical property of the gravitational interaction and the geometric language, and it also provides the guarantee for the essential equivalence of the discussed two kinds of relativity in the dynamical equations.

THE SYMMETRY OF THE RELATIVITY AND THE INERTIAL REFERENCE FRAMES

Now we turn back to the problem of finding the observers who are able to establish the dynamical equations on the equivalent relativity. As far as the gravitational interaction is concerned now, the only feasible way is that, the kinematical effect induced by "the global gravity" to a whole system must be equivalent to the global acceleration of the whole system. Then the uncertainty brought by the relativity of the kinematical quantities is capable to be erased from the whole dynamical equation. The qualified observer to above requirements are those that hold both "the global gravity" and the global acceleration of the system, we may name it as "the minimal-gravity-free observer". According to above discussion on the realization of the dynamical relativity, then to an arbitrary particle, "the minimal-gravity-free observer" may be defined to satisfy, at the same time, the following two conditions:

1, It must be the observer who is executed only by gravitational interaction and being gravity-free in the universe.

2, the gravitational field around the observer must be completely contained within the area around the particle considered.

Besides, the word "minimal" just means, to the whole system considered, such an observer is the most fundamental gravity-free one, since in the inner region of the system where may still exist the gravity-free phenomenon at another level. As an illustration, once an object as the test particle is specified, we firstly should chose a local system including this particle according to the scope of the interaction which should be counted in. Secondly, we have to find out the observer who are in the lowest-level gravity-free in this system (which would be rest on the mass center of the system if the system is in global gravity-free).

Once we have find "the minimal-gravity-free observer" to the particle, it would immediately mean that we have established the frame of inertial reference. Meantime, in the requirement of the symmetry of the relativity, the external gravity executed on "the minimal-gravity-free observer" (namely "the global gravity")should be equally counteracted in counting the force for any particle in the system. For example, in the inertial reference frame of the earth system, where the mass center of the earth is the coordinate origin where "the minimal-gravity-free observer" located, the gravitational force we are to count in should not contain the interaction originated from the cosmic dust, the galaxy, the sun and even any other planets in the solar system. That is just the one of most important differences between what we want to proposed in this Letter with the correlative issue in the Einstein's special relativity, and it is such a subtlety which may cannot be emphasized enough for the realization of the dynamical relativity. Then, the form invariance of the dynamical equations on different observers can be realized in our method. Along this way, the statement of the "law of inertia" should be correspondingly revised as: In any inertial reference frame *with a minimal-gravity-free observer*, every particle preserves its state of rest, or its uniform motion in a straight line, unless it is acquired a *additional* forces *relative to the minimal-gravity-free observer*. After that, "the relative gravity" can be naturally defined in the inner region of local systems resorting to the "law of inertia" and which is just symmetric to "the relative kinematical quantities".

There is one point we should keep in mind that, in applying these dynamical equations to practical cases, the correspondence between the scope of the interaction in the counting and the choice of inertial reference frame should be one to one. For example, to ascertain the Mars' influence upon the relative motion between the Moon and the Earth, the center of the Earth is not applicable to be "the minimal-gravity-free observer" any longer, in this case we may choose the mass center of the Sun as the origin of a new inertial reference frame instead. More importantly, at the same time, the scope of the interaction under the consideration must be spread to all the possible relative interactions in the inner region of the sun system (relativity gravity of the sun's reference). Therefore, in our theory, the inertial reference frame is no more defined globally. The difference among the different inertial frames of different levels is the different background gravity, i.e. the different scale of the inertial space time of the physics event.

Consequently, the symmetry of the relativity turns out to be a possible method to achieve a consistent scenario of the dynamical relativity. In our approach the mathematical form of the dynamical equations would not only be applicable to arbitrary particle in the inner region of a uniform gravity-free local system, but also be unchanged with the transformation between different systems being in "the global gravity" free. This is just the new principle of the relativity which is proposed. Namely, it is the principle of "minimal-gravity-free-observer" relativity. Furthermore, from the two properties of the relatively observed interaction listed above, the transformation between different minimal-gravity-free observers is a *consistent relativity*, it is realizable and actually sufficient for us describe our physical universe. From the discussion below, we think that this *consistent relativity* may be more physical than the principle of general relativity in Einstein's theory.

THE DYNAMICAL RELATIVITY UNDER THE INERTIAL FORCE

On the other hand, we re-investigate the reliability of the basis of the standard cosmology—General Relativity. Firstly, we may recur to the successful experiments on the solar scale which had been made in the early period of the last century. There are two important concepts have been confirmed from these experiments: the one is that the gravitational interaction can be completely geometrized, the another is that the gravity will also lead to the photon's redshift, which is different to the Doppler redshift in kinematical meaning.

The another principle of the Einstein's gravity theory is the general relativity, which is to say that the field equation would be form-invariant under the general coordinates transformation. However this point still has not been confirmed from the existing experiments of gravity. Einstein's principle of general relativity based on two considerations: the one is the dynamical equivalence between the gravitational force and the inertial force, Einstein thought that his another consideration is the "Mach principle". Considering its objective base, however, we still have not drawn out the essential connection between the two origins of the gravitational force and the inertial force. Therefore even though we are able to unify the dynamical principle of the gravity and the inertial force into the same general covariant formulism, but the contribution from the inertial force still can not be erased from the mathematical form of a general covariant gravity theory. Therefore, the complete formula of a general covariant gravity theory may be written as,

$$G_{\mu\nu} = -\kappa < T_{\mu\nu} >_{grav} +\kappa < T_{\mu\nu} >_{iner} . \tag{2}$$

The second term on the right-hand-side of the above equation in the case of Brans-Dicke gravity theory just corresponds to the contribution from the gravitational scalar. In other theories where do not claim that the inertial force originates from the external gravitational matter, then the existence of this second term would be more indispensable. In fact we do not assure how to correctly describe the inertial force in origin, so we still have to select a special coordinates reference frame in cosmology, where we do not have to consider the inertial force any more. Once such a reference frame has been naturally chosen, the mathematical form of the cosmological field equation would not be capable to be further performed by the generalized coordinates transformation. That is to say, if we apply the Einstein's field equation to the cosmology and deal only with the gravitational energy-momentum of the ordinary matter, then the coordinates reference frame under the consideration must have been substantively chosen from a special kind of reference frames [1].

REMARKS

Such new relativity of the dynamical equations which we put forward, its key lies in such a fact, namely, comparing to all the objects in a gravity-free system in the universe, our direct observation of the gravitational force are always local, in fact it is also relative. The influence of the gravity originated from the outer space of the system on their relative motion is almost equally counteracted by their uniform global acceleration. A direct reason for this point is just the equality of the inertial mass and the gravitational mass. Therefore, it turns out that there actually exists a preferred coordinates system, determined by the large-scale gravity-free systems in the universe, in which the laws of the physics have their simplest form. In other words, it is just the peculiar property of gravitational interaction and its peculiar status in the universe that make the definition of "inertial reference frame" available in the practical case.

This paper is just aimed to make a theoretical exploration along the realization of the dynamical relativity. Therefore, the first thing we have proposed is that the counted gravity can be treated as a relative quantity in any gravity-free system. This point is comprehended just from the viewpoint of the symmetry, we know that the observed speed of a particle is relative, the observed acceleration of the particle is also relative, so it is natural to require that the counted force should also be relative (namely the relative gravity) to keep holding the principle of relativity on the dynamical equations.

The introduction of the relativity of gravity is especially important for a natural definition of the inertial reference frames. Therefore, the second thing we have proposed is that "the minimal-gravity-free observer" can naturally constitute the frames of inertial reference. After establishing the dynamical equations on this kind of observers, the symmetry of the relativity to all objects in the system is realized. Therefore, the principle of the relativity in our theory is the "minimal-gravity-free-observer" relativity. As well as the symmetry of the relativity is required by the causality in the dynamics law, the symmetrical counteracting of the relativity of dynamical quantities in different inertial reference frames is further to unify the causality in their corresponding dynamical equations. In this sense, for the reference frames with the origin of a minimal gravity-free observer have been derived out along the symmetry of the relativity, the unification of the form of the dynamics law is truly carried out in our theory.

In addition, for the dynamics law concerning the principle of causation, the geometrized gravity theory should be established on the basis of the background inertial reference frame. It is to say that Einstein's mathematical form is here maintained for gravity theory just because nothing but dynamical effects of the gravity in the inner region of a system are capable being globally geometrized on its background inertial reference frame.

The principle of consistent relativity means the establishing of the geometrized equation of gravity on the basis of the inertial reference frame, namely the causality. Hence in fact it has naturally harmonized the special relativity and the geometry theory of gravity in the level of the method of inertial reference frame.

Acknowledgments: This work has been supported in part by National Nature Science Foundation of China under grant No. 10273017. K.Li also recognize the support from the Nature Science Foundation of Zhejiang Province under the grant number M103042,102011,102028.

---

[*] Electronic address: chenchiyi@center.shao.ac.cn
[†] Electronic address: kangli@hztc.edu.cn

[1] N. Rosen, Phys.Rev.D(America)3, 2317(1971).

[2] Edward W.Kolb and Michael S.Turner ”The Early Universe” (Addison-Wesley Publishing Company, 1990), Chap. 2.

[3] Steven. Weinberg ”Gravitational and Cosmology: Principles and Applications of the General Theory of Relativity”(John Wiley & Sons, Inc, New York, 1972), Part 3.